





APRIL 2008

How to Read the Price List	Page 1
----------------------------	--------

**Section 1: WINDOWS PROMPTING SOFTWARE**

Windows Prompting SOFTWARE	Page 2
----------------------------	--------

**Section 2: SPECIALTY GROUP**

PT-3000 Traditional PanelPrompt Series	Page 2
T-2000 PromptBook	Page 2

**Section 3: TRADITIONAL PROMPTERS / SPECTRA-LITE AND VU-LITE**

STS-Series SPECTRA-LITE Flat-Panel Prompters	Page 2-3
STS SOLO Stand-Alone Series	Page 3
STS-Series PVM Return Video Preview Assembly	Page 3
T-Series VU-LITE Flat-Panel Prompters	Page 4
T-Series PVM Return Video Preview Assembly	Page 4

**Section 4: Z-PRO M-SERIES AND POV L-SERIES**

MZS Z-PRO Mini DV Camcorder Flat-Panel Prompters With and without software	Page 5
MZP PanelPrompt Support Systems	Page 6
LV-8 Point-of-View ENG Flat-panel Prompters With and without software.	Page 6

**Section 5: OPTIONS & GENERAL ACCESSORIES**

OPTIONS - Prompter Software and Hardware	Page 7
--	--------

GENERAL ACCESSORIES and SPARES	Pages 7-8
Mirrors	Page 7
Camera Risers	Page 7
Counterbalance Weights	Page 7
Sunshade Assemblies	Page 8
Transit Cases	Page 8
Miscellaneous Items	Page 8

Product Code - Component Details	Pages 9-11
----------------------------------	------------

**LISTEC VIDEO CORP.  
APRIL 2008 MASTER PROMPTER PRICE LIST**

**Understanding Model Numbers:**

The Model Number Prefix indicates the type of display.

The Numeric portion of the Model Number indicates the size of the display.

The Model Number Suffix indicates the type of Hood Assembly and Mounting Hardware included.

**Model PREFIX:**

Prompters beginning with **STS** feature a Flat Panel with composite video inputs as standard and VGA optional.

Prompters beginning with **T** feature a Flat Panel with Enhanced Brightness and VGA and composite inputs as standard.

Prompters beginning with **MZS** indicate Z-PRO designed for Mini DV Camcorders. (Standard models include STS displays; T-Model displays available on request.)

Prompters beginning with **LV** are part of the Point-of-View ENG Flat-panel Series for on-camera, hand-held and direct messaging.

Prompters beginning with **PT** include everything required to build a prompter for conventional cameras, *except the display*. (For compatibility, customer-supplied displays must feature the VESA-standard four-hole wall-mount fixing).

Prompters beginning with **MZP** include all Z-PRO hardware required to build a Mini DV Cam Prompter, *except the display*. (For compatibility, customer-supplied displays must feature the VESA-standard four-hole wall-mount fixing).

**T-2000** is assigned to the **PromptBook** Support Assembly.

**Model SUFFIX:**

**P-Model** Prompters are configured for cameras mounted with an ENG style barrel (bayonet-mount) lens having a focal length longer than 5.2mm.

**CCD-Model** and **S-Model** Prompters are configured for cameras mounted with an ENG style barrel (bayonet-mount) lens, or new-breed compact studio lens measuring no wider than 237.5mm (9.5 in), and will accommodate a lens focal length of 5.2mm or wider.

**FSW-Model** Prompters are configured to accommodate cameras with a large box-type studio wide-angle lens.

The character **E** in a Model Number denotes a flat panel with Enhanced Brightness

\*\*\*

Example: Model **T-2015P-E** features a 15-inch Multi-input Display with Enhanced Brightness and Fold-down Mirror/Soft Hood Assembly configured for a camera with ENG lens having a focal length of longer than 5.2mm.

\*\*\*

**Configuring Specially Priced Customer Defined SYSTEM PACKAGES:**

Please refer to Explanations under Spectra-Lite and Vu-Lite Sections - Pages 2 and 4.

***Please refer to the COMPONENT CHART addendum for complete model information.***



**Section 1: Software**

**WINDOWS PROMPTING SOFTWARE** (NOTE: Release date for AN-8000WIN Series to be announced.)

<b>AN-8WIN/8A</b>	Runorder Management Software with scan converter, Vista-XP-2000	\$ 2,895.00
<b>AN-8000WIN</b>	Runorder Management Software only, Vista-XP-2000	2,445.00
<b>A-6WIN/6A</b>	InstantEdit Software with scan converter, (Ver. 3), XP-2000-Vista / 98-95-NT	1,875.00
<b>A-6000WIN</b>	InstantEdit Software only (Ver. 3), Vista, XP, 2000	1,450.00

**Section 2: Specialty Group**

**PanelPrompt Hardware Systems - Require Customer-supplied Display:**

<b>PT-3000P</b>	PanelPrompt with fold-down hood (9 lbs / 4.1kg) for 15" through 17" LCD	\$ 2,270.00
<b>PT-3000S</b>	PanelPrompt with standard studio hood (14 lbs / 6.4kg) for LCD through 19"	2,770.00
<b>PT-306CS</b>	PanelPrompt Executive Conference Prompter Hardware for LCD through 20"	2,295.00
<b>LSC-VGA2</b>	VGA Horizontal Image Reverser for customer-supplied VGA display-SXGA	395.00

**PROMPTBOOK:**

Converts a 4:3 15-inch or lesser size notebook computer into a prompter display

<b>T-2000</b>	PromptBook Assembly - equipment weight: 16 lbs (7.3kg)	\$ 1,795.00
<b>T-2000/WIN</b>	PromptBook with A-6000WIN Ver. 3 Series Software	2,995.00
<b>BLV-2008-PDA</b>	8-inch LCD preview display, composite-VGA inputs & scan reversal	695.00

**Section 3: Traditional Prompters / Spectra-Lite and Vu-Lite**

**NOTE: When SPECTRA-LITE Model Prompters are combined with the Listec A-6WIN/6A Prompting Software System, SPECIAL PRICING Applies.**

**For Example:**

**When ONE Prompter is combined with the A-6WIN/6A, DEDUCT - Three Percent (3%) off the combined list package price.**

**When TWO Prompters are combined with the A-6WIN/6A, DEDUCT - Five Percent (5%) off the combined list package price.**

**When THREE or MORE Prompters are combined with the A-6WIN/6A, DEDUCT - Seven Percent (7%) off the combined list package price.**

**Section 3 - continued: Traditional Prompter Mounts**

**STS- SERIES SPECTRA-LITE FLAT PANELS - Featuring 12" and 15" Displays**

Supplied standard with 2X BNC Looping Composite Inputs with 75-Ohm termination. VGA input optional.

**FEATURES 12.1" TFT COMPOSITE FLAT PANEL**

<b>STS-2012P</b>	on-camera - equipment weight: 14 lbs (6.4kg)	\$ 3,595.00
<b>STS-2012CCD</b>	on-camera - equipment weight: 19 lbs (8.6kg)	3,995.00
<b>STS-2012FSW</b>	on-camera - equipment weight: 26 lbs (11.8kg)	4,425.00
<b>LM-VGA</b>	Option: 1X DB 15-pin VGA Connector	ADD: 125.00
<b>STS-2012-PVM</b>	return video preview assembly - equipment weight: 12 lbs (5.4kg)	3,275.00
<b>BSTS-2012/1X</b>	panel with support assembly only: 7 lbs (3.2kg)	2,775.00

**FEATURES 15" TFT COMPOSITE FLAT PANEL**

<b>STS-2015P</b>	on-camera - equipment weight: 18 lbs (8.2kg)	\$ 4,595.00
<b>STS-2015CCD</b>	on-camera - equipment weight: 23 lbs (10.4kg)	4,995.00
<b>STS-2015FSW</b>	on-camera - equipment weight: 31 lbs (14.1kg)	5,425.00
<b>STS-2015CS</b>	conference - equipment weight: 27 lbs (12.3kg)	4,735.00
<b>LM-VGA</b>	Option: 1X DB 15-pin VGA Connector	ADD: 125.00
<b>STS-2015-PVM</b>	return video preview assembly - equipment weight: 15 lbs (6.8kg)	3,575.00
<b>BSTS-2015/1X</b>	panel with support assembly only: 11 lbs (5kg)	2,995.00

**STS- SERIES SPECTRA-LITE SOLO STAND-ALONE PROMPTERS:**

Panel supplied standard with 2X BNC Looping Composite Inputs with 75-Ohm termination. VGA input optional. STS-2015SA systems include tripod with spreader or dolly.

**FEATURES 15" SOLO STAND-ALONE FLAT PANEL - Other size and style panels available.**

<b>STS-2015SAP</b>	SOLO with fold-down hood - equipment weight: 22 lbs (10kg)	\$ 4,795.00
<b>STS-2015SAS</b>	SOLO with studio hood - equipment weight: 26 lbs (11.8kg)	5,195.00
<b>STS-2015SAPD</b>	SOLO with fold-down hood & dolly - equipment weight: 31 lbs (14.1kg)	5,275.00
<b>STS-2015SASD</b>	SOLO with studio hood & dolly - equipment weight: 35 lbs (15.9kg)	5,675.00
<b>STS-15SAP-LT</b>	SOLO/fold-down hood without tripod - equipment weight: 14 lbs (6.4kg)	3,995.00
<b>STS-15SAS-LT</b>	SOLO/studio hood without tripod - equipment weight: 18 lbs (8.2kg)	4,395.00
<b>LM-VGA</b>	Option: 1X DB 15-pin VGA Connector	ADD: 125.00

**NOTE: When VU-LITE Model Prompters are combined with the Listec A-6WIN/6A Prompting Software System, SPECIAL PRICING Applies.**

*For Example:*

When ONE Prompter is combined with the A-6WIN/6A, DEDUCT - Three Percent (3%) off the combined list package price.

When TWO Prompters are combined with the A-6WIN/6A, DEDUCT - Five Percent (5%) off the combined list package price.

When THREE or MORE Prompters are combined with the A-6WIN/6A, DEDUCT - Seven Percent (7%) off the combined list package price.

**T-SERIES Multi-Input VU-LITE FLAT PANELS - Featuring 12", 15" and 17" Displays**

Supplied standard with 1X VGA and 2X BNC Looping Composite with 75-Ohm termination.

**FEATURES 12.1 TFT MULTI-INPUT FLAT PANEL WITH ENHANCED BRIGHTNESS TO 1100 NITS**

<b>T-2012P-E</b>	on-camera - equipment weight: 15 lbs (6.8kg)	\$ 4,995.00
<b>T-2012CCD-E</b>	on-camera - equipment weight: 20 lbs (9.1kg)	5,395.00
<b>T-2012FSW-E</b>	on-camera - equipment weight: 27 lbs (12.2kg)	5,825.00
<b>BT-2012E/1X</b>	panel with support assembly only: 8 lbs (3.6kg)	3,825.00

**FEATURES 15" TFT MULTI-INPUT FLAT PANEL WITH ENHANCED BRIGHTNESS TO 1700 NITS**

<b>T-2015P-E</b>	on-camera - equipment weight: 18 lbs (8.2kg)	\$ 5,795.00
<b>T-2015CCD-E</b>	on-camera - equipment weight: 23 lbs (10.4kg)	6,195.00
<b>T-2015FSW-E</b>	on-camera - equipment weight: 31 lbs (14.16kg)	6,625.00
<b>T-2015CS-E</b>	conference - equipment weight: 26 lbs (11.8kg)	5,935.00
<b>T-2015E-PVM</b>	return video preview assembly - equipment weight: 15 lbs (6.8kg)	4,775.00
<b>BT-2015E/1X</b>	panel with support assembly only: 11 lbs (5kg)	4,195.00

**FEATURES 17" TFT MULTI-INPUT FLAT PANEL WITH ENHANCED BRIGHTNESS TO 1000 NITS**

<b>T-2017P-E</b>	on-camera - equipment weight, <i>less counterbalance</i> : 22 lbs (10kg)	\$ 6,595.00
<b>T-2017CCD-E</b>	on-camera - equipment weight, <i>less counterbalance</i> : 25 lbs (11.3kg)	6,995.00
<b>T-2017FSW-E</b>	on-camera - equipment weight: 36 lbs (16.3kg)	7,425.00
<b>T-2017CS-E</b>	conference - equipment weight: 30 lbs (13.6kg)	6,735.00
<b>T-2017E-PVM</b>	return video preview assembly - equipment weight: 20 lbs (9.1kg)	5,575.00
<b>BT-2017E/1X</b>	panel with support assembly only: 15 lbs (6.8kg)	4,995.00

## Section 4: M-Series and L-Series

### Z-PRO and Point-of-View....

#### Z-PRO DV CAM SERIES

The *Z-PRO Prompter* for Mini DV Cameras features a choice of Mirror/Hood Assembly, and includes an Adjustable Camera Support Assembly with Universal Riser featuring 3", 4" and 5" (75mm, 100mm and 125mm) height settings and sliding top platform for camera positioning.

*Z-PRO mounts* will accommodate Mini DV Camcorders, without the need for rear counterbalance, measuring 11" (275mm) from lens mount to rear and weighing from 2-10 lbs (.91-4.5 kg).

#### **Z-PRO SERIES:**

Supplied standard with 2X Looping BNC Composite Inputs with 75-Ohm termination. VGA input optional.

#### **Z-PRO 12.1" Composite On-Camera Systems**

MODEL NUMBER	DESCRIPTION	PRICE
<b>MZS-1012P</b>	12" Z-PRO with Fold-down Mirror/Soft Hood Assembly System Weight: 14 lb (6.4 kg)	\$ 3,275.00
	<b>When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:</b>	1,000.00
<b>MZS-1012S</b>	12" Z-PRO with Standard Studio Hood Assembly System Weight: 19 lb (8.6 kg)	3,775.00
	<b>When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:</b>	1,000.00
<b>LM-VGA</b>	Option: 1X DB 15-pin VGA Connector ADD:	125.00

#### **Z-PRO 15" Composite On-Camera Systems**

MODEL NUMBER	DESCRIPTION	PRICE
<b>MZS-1015P</b>	15" Z-PRO with Fold-down Mirror/Soft Hood Assembly System Weight: 17 lb (7.7 kg)	\$ 3,595.00
	<b>When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:</b>	1,000.00
<b>MZS-1015S</b>	15" Z-PRO with Standard Studio Hood Assembly System Weight: 21 lb (9.5 kg)	3,995.00
	<b>When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:</b>	1,000.00
<b>LM-VGA</b>	Option: 1X DB 15-pin VGA Connector ADD:	125.00

**When ordering specially priced systems, please specify both prompter & software models.**

### Z-PRO PanelPrompt Support Systems - Require Customer-supplied Display

MODEL NUMBER	DESCRIPTION	PRICE
<b>MZP-3000P</b>	PanelPrompt with Fold-down Mirror/Soft Hood Assembly Hardware Weight: 10 lb (4.5kg)	\$ 1,895.00
<b>MZP-3000S</b>	PanelPrompt with Standard Studio Hood Assembly Hardware Weight: 14 lb (6.4kg)	2,395.00
<b>LSC-VGA2</b>	VGA Horizontal Image Reverser for customer-supplied VGA display-SXGA	395.00

### POINT-OF-VIEW 8" Multi-input SERIES

Features as standard selectable VGA and Composite Inputs

#### LV-8 POINT-OF-VIEW SERIES

The LV-8 Point-of-View LCD Series is configured for use with portable style cameras.

The **LV-2008P** On-camera Prompter features a full-size broadcast quality Fold-down Mirror and Soft Hood Assembly for optimal readability and includes a Sliding ENG Balance Plate and Offset Camera Riser with sliding top platform and 3", 4" and 5" (75mm, 100mm and 125mm) height settings for camera positioning.

The **LV-80** Hand-held ENG Prompter mounts above the lens to the camera's carrying handle and features a mid-size trapezoidal Mirror Assembly. (Please contact Listec prior to ordering to determine camera compatibility.)

The **LV-800DV** Direct-VU MonoPrompt is suggested for specialty applications, when through-the-lens viewing is not required. Supplied with a manually adjustable telescoping Stand and tilting Panel Mount, its narrow profile makes the POV MonoPrompt ideal for placement between seat rows and as a messaging system.

**When ordering specially priced systems, please specify both prompter & software models.**

MODEL NUMBER	DESCRIPTION	PRICE
<b>LV-2008P</b>	8" POV Below-lens On-Camera LCD Prompter System Weight: 7 lb (3.1 kg)	\$ 2,250.00
	<b>When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:</b>	1,000.00
<b>LV-80</b>	8" POV Above-lens ENG Hand-held LCD Prompter System Weight: 5 lb (2.2 kg)	2,595.00
	<b>When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:</b>	1,000.00
<b>LV-800DV</b>	8" POV MonoPrompt LCD Direct-VU Prompter System Weight: 10 lb (4.5 kg)	1,150.00
	<b>When combined with A-6WIN/6A Software System ADD Prompting Software at special price of:</b>	1,000.00

## Section 5 - OPTIONS & GENERAL ACCESSORIES

### OPTIONS - PROMPTER SOFTWARE:

<b>A-WIN/HC</b>	hand-held rotary speed control with push-button file commands. Supplied with 6 ft (1.8m) USB cable	\$ 725.00
<b>A-WIN/FC</b>	foot control with 10 ft (3.05m) USB cable and separate reverse push-button floor/desktop toggle switch with 15 ft (4.6m) cable.	850.00
<b>A-6055-A</b>	Series 3 (additional) USB dongle-security key	795.00
<b>A-1643</b>	ShuttlePRO desktop rotary speed control with 15 programmable buttons	225.00
<b>A-1644</b>	ShuttleXpress desktop rotary speed control with 5 programmable buttons	95.00
<b>A-1646</b>	simple hand-held trackball speed controller, specify USB or PS/2	80.00
<b>B-1646-EXT</b>	50 ft. (15.2m) PS/2 extension cable for A-1646	75.00
<b>B-1646-EXT/U</b>	20 ft. (6.1m) USB extension cable for A-1646	50.00
<b>A-1649</b>	Wireless multimedia 100' (30.5m) omni-directional hand-held speed controller	325.00
<b>A-3019</b>	composite video scan converter	<i>please call</i>

### OPTION - PROMPTER HARDWARE:

<b>PVM-100</b>	Preview Display Assembly (less flat panel) weight: 6.5 lbs (2.9kg)	\$ 1,195.00
	<i>Accommodates flat panels with VESA wall-mount through 20-inch.</i>	

### GENERAL ACCESSORIES & SPARES:

#### PROMPTER MIRRORS

<b>B-2000/LR</b>	standard for all CCD-S <b>size:</b> 21-3/16 x 19-3/16 x 15-1/2"	\$ 495.00
<b>B-2002/LR</b>	wide angle for all FSW-X <b>size:</b> 24-1/4 x 21-5/8 x 15-3/4"	525.00
<b>B-2012</b>	conference and LV-800DV <b>size:</b> 12 x 12 x 0.25"	375.00
<b>B-3009A</b>	for LV-2008P, T-2009P and A-2009 <b>size:</b> 9-5/8 x 8-1/2"	325.00
<b>B-3080</b>	for LV-80 hand-held <b>size:</b> 10-5/8 x 9-3/8 x 8-1/4"	285.00
<b>B-3012A</b>	for STS-2012P, ST-2013P, T-2000, T-2012P, A-2012P <b>size:</b> 12 x 12-5/8"	325.00
<b>B-3015P/LR</b>	for STS-2015P, ST-2015P, T-2015P and A-2015P <b>size:</b> 14-7/16 x 14-7/16"	475.00

#### CAMERA RISER

<b>B-3451</b>	3"/4"/5" (75/100/125mm) height settings with 10.5" (262.5mm) sliding platform	\$ 195.00
---------------	---	-----------

#### COUNTERBALANCE WEIGHTS

<b>A-1001</b>	simple 1.5-pound trim weight (0.68kg)	\$ 35.00
<b>A-1005</b>	simple 5-pound (2.3kg)	90.00
<b>A-1010</b>	simple 10-pound (4.5kg)	100.00
<b>A-1020</b>	simple 20-pound (9.1kg)	150.00
<b>A-1001-A</b>	sliding ENG, 1.5-pound (.68kg)	110.00
<b>A-1030-A</b>	sliding ENG, 3-pound (1.4kg) comprised of two A-1001 & A-2009-09B	145.00
<b>A-1050-A</b>	sliding ENG, 5-pound (2.3kg)	165.00
<b>A-1010-A</b>	sliding ENG, 10-pound (4.5kg)	175.00
<b>A-2009-09A</b>	sliding ENG base plate only for A-1001 trim weight	75.00
<b>A-1215-03</b>	sliding EFP, 3-pound (1.4kg) comprised of two A-1001 & B-1215-09A	170.00
<b>A-1215-05</b>	sliding EFP, 5-pound (2.3kg)	190.00
<b>A-1215-10</b>	sliding EFP, 10-pound (4.5kg)	200.00
<b>A-1215-20</b>	sliding EFP, 20-pound (9.1kg)	250.00
<b>B-1215-09A</b>	sliding EFP base plate only for A-1001 trim weight	100.00

**GENERAL ACCESSORIES & SPARES - continued:**

**BARNDOOR STYLE SUNSHADE ASSEMBLIES**

<b>B-1112P</b>	for T-2000	\$ 250.00
<b>BST-1212P</b>	for STS-2012P, T-2012P-E	250.00
<b>BST-1515P</b>	for STS-2015P, T-2015P-E	250.00
<b>PBT-3000P</b>	for Traditional PanelPrompt P-model configuration	250.00
<b>PBZ-3000P</b>	for Z-PRO PanelPrompt P-model configuration	250.00
<b>BMZ-1212P</b>	for MZS-1012P	250.00
<b>BMZ-1515P</b>	for MZS-1015P	250.00
<b>BLV-8008P</b>	for LV-2008P	250.00

**TRANSIT CASES FOR TRADITIONAL PROMPTER AND PANELPROMPT SERIES**

<b>TC-2000</b>	for PromptBook	\$ 995.00
<b>TC-TS2012P</b>	for STS-2012P, T-2012P-E	995.00
<b>TC-TS2015P</b>	for STS-2015P, T-2015P-E	995.00
<b>TC-TS2015CS</b>	for STS-2015CS, T-2015CS-E	1,125.00
<b>TC-T2017CS-E</b>	for T-2017CS-E	1,125.00
<b>TC-TS2015S</b>	for STS-2015CCD, T-2015CCD-E	1,425.00
<b>TC-SOLO-ST5</b>	for STS and T Solo stand-alone P-Model display without tripod	895.00
<b>TC-SOLO-SC7</b>	Soft Padded Case for Solo tripod with floor spreader/mid-level spreader	550.00
	Other transit cases can be customized upon request.	

**Z-PRO TRANSIT CASES**

<b>TC-MZS1012P</b>	One-Step Transit Case with casters, sliding handle, hasp lock & label tab	\$ 995.00
<b>TC-MZS1015P</b>	One-Step Transit Case with casters, sliding handle, hasp lock & label tab	995.00

**LV-8 SERIES TRANSIT CASES**

<b>TC-LV2008P</b>	Transit Case with wheels & retractable handle for LV-2008P	\$ 695.00
<b>TC-LV80</b>	Transit Case with wheels & retractable handle for LV-80	695.00

**MISCELLANEOUS**

<b>TST-12VDC</b>	DC-DC converter for STS and T-series flat panels	\$ 495.00
<b>C-F3G006-01</b>	simple VGA splitter cable	40.00

**LISTEC VIDEO CORP.**  
 2001 Palm Beach Lakes Boulevard - Suite 411 - West Palm Beach, FL 33409  
 Telephone: 1-561-683-3002 • Fax: 1-561-683-7336  
 40 Oser Avenue - Unit 3 - Hauppauge, NY 11788  
 Telephone: 1-631-273-3029 • Fax: 1-631-435-4544  
[www.listec.com](http://www.listec.com) / [sales@listec.com](mailto:sales@listec.com)

## LISTEC PRODUCT CODE ADDENDUM - PROMPTER COMPONENTS

### Hardware Definitions:

Sliding ENG Balance Plate measures 15" X 4"

Sliding Mid-size EFP Balance Plate measures 20" X 5"

Sliding EFP Balance Plate measures 25" X 5"

Solid 20" X 5" Mid-size EFP Plate (for robotic applications)

Solid 25" X 5" EFP Plate (for robotic applications)

Solid Universal Balance Plate measures 32" X 7"

Counterbalance: Available for all balance plates in 1.5-pound, 5-pound, 10-pound and 20-pound units.

(Master Price List Reference - Page 2)

**A-6WIN/6A** includes A-6000WIN InstantEdit Prompter Program for XP-2000-Vista, single-user Security Key (USB or Parallel Port) for copy protection and a basic VGA-TV Composite Scan Converter.

**A-6000WIN** includes the InstantEdit Program with single-user Security Key (USB or Parallel Port) for copy protection.

**PT-3000P** PanelPrompt supplied *less a display*, configured for portable style camera with ENG lens. Hardware includes: Fold-down Hood, Sliding Mid-size EFP Balance Plate, Camera Riser and appropriate Counterbalance.

**PT-3000S** PanelPrompt supplied *less a display*, configured for portable style camera with ENG lens. Hardware includes: Standard Studio Hood, Sliding EFP Balance Plate, Camera Riser and appropriate Counterbalance.

**PT-306CS** Executive Conference Hardware, supplied *less a display*, includes: Manually adjustable Stand, Sliding Support Bracket for customer-supplied display and 12" X 12" Mirror.

### PromptBook T-2000 Hardware includes:

Support Cradle for Laptop at 13.75" wide, Fold-down Hood Assembly, Sliding EFP Balance Plate, either a 5-pound or 10-pound Counterbalance and hand-held mouse for speed control. (Camera Riser is optional.)

**PromptBook T-2000/WIN** System includes T-2000 Hardware as detailed above but with A-6000WIN InstantEdit Prompter Program.

(Master Price List Reference - Page 3)

### SPECTRA-LITE STS-Series Hardware:

**CS-Models** include manually adjustable Conference Stand, Sliding Bracket Support for LCD Display and 12" X 12" Mirror.

### SPECTRA-LITE Hardware for 12-inch and 15-inch Prompters:

**P-Model**, 12-inch Prompter, configured for portable style camera with **ENG** lens, includes Fold-down Hood and Sliding ENG Balance Plate. (Both Camera Riser and Counterbalance are optional.)

**P-Model**, 15-inch Prompter, configured for portable style camera with **EFP** lens, includes Fold-down Mirror Assembly and Sliding Mid-size EFP Balance Plate. (Both Camera Riser and Counterbalance are optional.)

**CCD-Model**, configured for portable style camera with ENG lens, or compact HD box-lens measuring no wider than 237.5mm (9.5 in). Includes Standard-size Studio Hood, Sliding EFP Balance Plate and Camera Riser. (Counterbalance is optional.)

**FSW-Model**, configured for camera with box-type studio lens, includes Wide-Angle Studio Hood and Solid Universal Balance Plate.

## LISTEC PRODUCT CODE ADDENDUM - PROMPTER COMPONENTS

(Master Price List Reference – Page 3, continued)

### SOLO System Hardware:

**P-Models**, configured for portable style camera with ENG lens, include Fold-down Hood Assembly, Panel with 75mm or 100mm Leveling Ball, single-stage Tripod and Floor Spreader.

**S-Models**, configured for portable style camera with ENG lens, include Standard-size Studio Hood, Panel with 100mm Leveling Ball, single-stage Tripod and Floor Spreader.

**PD-Models** and **SD-Models**, as above, but with Dolly instead of Floor Spreader.

**LT-Models** are supplied without the tripod system and include either a 100mm or 75mm Ball Base for mounting onto an existing tripod.

(Master Price List Reference – Page 4)

### VU-LITE T-Series Hardware:

**CS-Models** include manually adjustable Conference Stand, Sliding Bracket Support for LCD Display and 12" X 12" Mirror.

### VU-LITE Hardware for 12-inch and 15-inch Prompters:

**P-Model**, 12-inch Prompter, configured for portable style camera with ENG lens, includes Fold-down Mirror Assembly and Sliding **ENG** Balance Plate. (Both Camera Riser and Counterbalance are optional.)

**P-Model**, 15-inch Prompter, configured for portable style camera with ENG lens, includes Fold-down Mirror Assembly and Sliding Mid-size **EFP** Balance Plate. (Both Camera Riser and Counterbalance are optional.)

**CCD-Model**, configured for portable style camera with ENG lens or compact HD box-lens measuring no wider than 237.5mm (9.5 in). Includes Standard-size Studio Hood, Sliding EFP Balance Plate and Camera Riser. (Counterbalance is optional.)

**FSW-Model**, configured for camera with large box-type studio lens, includes Wide-Angle Studio Hood Assembly and Solid Universal Balance Plate.

### VU-LITE Hardware for 17-inch Prompters:

**P-Model** for 17-inch Prompter, configured for portable style camera with ENG lens, includes Fold-down Mirror/Soft Hood Assembly, Sliding Mid-size EFP Balance Plate and suitable rear Counterbalance. (Camera Riser is optional.)

**CCD-Model**, configured for portable style camera with ENG lens, or compact HD box-lens measuring no wider than 237mm (9.5 in). Includes Standard-size Studio Hood Assembly, Sliding EFP Balance Plate, Camera Riser and appropriate rear Counterbalance Weight.

**FSW-Model**, configured for camera with large box-type studio lens, features Wide-Angle Studio Hood Assembly and Solid Universal Balance Plate.

## LISTEC PRODUCT CODE ADDENDUM - PROMPTER COMPONENTS

(Master Price List Reference – Page 5)

### Z-PRO Mini DV CAM SERIES

**MZS-1012P** is supplied with a Fold-down Mirror/Soft Hood Assembly, Pan Head Mounting Assembly and Offset Camera Riser.

**MZS-1012S** is supplied with a Standard Studio Hood Assembly, Pan Head Mounting Assembly and Offset Camera Riser.

**MZS-1015P** is supplied with a Fold-down Mirror/Soft Hood Assembly, Pan Head Mounting Assembly and Offset Camera Riser.

**MZS-1015S** is supplied with a Standard Studio Hood Assembly, Pan Head Mounting Assembly and Offset Camera Riser.

(Master Price List Reference – Page 6)

### Z-PRO PanelPrompt Systems for Mini DV Camcorders

**MZP-3000P** is supplied /ess a display but with P-Model hardware noted above.

**MZP-3000S** is supplied /ess a display but with S-Model hardware noted above.

### POINT-OF-VIEW LCD ENG SERIES

**LV-2008P**, configured for portable style camera with ENG lens. Features Fold-down Mirror/Soft Hood Assembly, Sliding ENG Balance Plate and Offset Camera Riser.

**LV-80**, Hand-held ENG includes hardware for mounting to camera handle. To ensure compatibility, please confirm camera prior to ordering.

**LV-800DV**, includes LCD Display with Floor Stand.

\*\*\*\*\*

Please contact Listec regarding hardware substitutions and customized systems.



Telephone: FL Office: 1-561-683-3002 ▪ NY Office: 1-631-273-3029